

LumaView

LED FLOOD LIGHT



48W
WATTAGE



4,500 lm
LUMENS



4000K
COLOR TEMP




**THREADED
KNUCKLE MOUNT**


SPECIFICATIONS

Model	LV-FL32-40K
Wattage	48W
Lumens	4,500 lm
Color Temperature	4000K (Neutral White)
Voltage	120-277V AC
Frequency	50/60Hz
Efficacy	94 lm/W
CRI	≥80
Beam Angle	110°
Mount Type	Threaded Knuckle Mount
Dimming	Non-Dimmable
Surge Protection	4KV
Operating Temperature	-40°F to 113°F (-40°C to 45°C)
Housing Material	Die-Cast Aluminum
Housing Color	Black
Lens Material	Tempered Glass
IP Rating	IP65 Wet Location Rated
Impact Rating	IK08
Power Factor	≥0.9
THD	<20%
Lifespan	50,000+ Hours
Warranty	5 Year Limited Warranty
Certifications	UL Listed, DLC Listed
Applications	Security Lighting, Landscaping, Building Facades, Signage, Parking Lots, General Outdoor Lighting

DIMENSIONS



PHOTOMETRICS



Beam Angle: 110°

LV-FL32-40K

48W LED FLOOD LIGHT

The LumaView LV-FL32-40K LED Flood Light delivers powerful, energy-efficient illumination in a compact, durable design. Ideal for security lighting, landscapes, building facades, signage, and general outdoor, this fixture provides bright, even light with long-lasting performance.

KEY FEATURES & BENEFITS

- BRIGHT, ENERGY-EFFICIENT LIGHTING**
Delivers high-performance illumination while using only 48W of power.
- DURABLE OUTDOOR CONSTRUCTION**
Die-cast aluminum housing with a weather-resistant finish designed for long-term outdoor use.
- ADJUSTABLE THREADED KNUCKLE**
1/2" NPS threaded knuckle mount allows for easy installation and precise aiming.
- LONG-LASTING PERFORMANCE**
Built with high-quality LEDs for 50,000+ hours of maintenance-free operation.
- LOW MAINTENANCE**
Reliable solid-state design eliminates frequent bulb replacements and upkeep.
- VERSATILE APPLICATIONS**
Perfect for security lighting, landscapes, signage, building facades, parking lots, and more.

IDEAL APPLICATIONS



CERTIFICATIONS



BUILT TO PERFORM. BUILT TO LAST.

The LumaView LV-FL32-40K LED Flood Light is engineered for reliability, efficiency, and long-term performance in any outdoor environment.

